

Classic Power USB Outlets Shuttered Plus

CPP_S



✓ KNOW BEFORE YOU INSTALL



Cut-out size differs
57mm per outlet (Shuttered Plus)
vs 50mm per outlet (Standard)

Allow extra clearance when pre-cutting or working with cabinetry.



Plug engagement
Shuttered Plus outlets feel firmer

Increased insertion force is normal and may influence suitability in low-risk settings.



Colour tone
Warmer white on Shuttered Plus

Enhanced UV-resistant materials give Shuttered Plus a subtly warmer tone.



Testing access
Shuttered Plus engages neutral first

Shutter must be engaged via the neutral first to access active and earth.




**See page 3 for the full range*

Technical Specifications

Number of switching poles per socket	1 (Active only)
Rated Voltage	250 V AC
Rated current	10A
Connection type	3 Cage Terminals with Captured Screws
Terminal Size	26mm ² (accommodates 4 × 2.5mm ² cables)
Housing Material	Polycarbonate
Contact Material	Silver Alloy
Track Material	Copper Alloy
Colour	White, Matte Black
USB Output	1× USB-A (5V 2.1A) + 1× USB-C 2× USB-C 5V 3A / 9V 2A / 12V 1.5A
Switch Mechanism	Rocker Switch Mechanism
Compliance	AS/NZS 3112 and AS 3133 with AS/NZS 3100 AS/NZS 61558.2.16 with AS/NZS 61558.1 AS/NZS CISPR 32 (EMC)
Safety Shutters	Yes
Warranty	7 Years

Dimensions



**See more dimensions of all models on the next page*





PDS20260311 - ART

Classic Power Outlets Shuttered Plus

CPP_S



Dimensions



PDS20260311 - ART

Classic Power Outlets Shuttered Plus

CPP_S



Horizontal USB Double Power Outlets



CPP2HUSB2CS
2 × C-type USB Outlets
White



CPP2HUSBCS
A + C USB Outlets
White



CPP2HUSB2CBS
2 × C-type USB Outlets
Matte Black



CPP2HUSBCBS
A + C USB Outlets
Matte Black

Vertical USB Double Power Outlets



CPP2VUSB2CS
2 × C-type USB Outlets
White



CPP2VUSBS
A + C USB Outlets
White



CPP2VUSB2CBS
2 × C-type USB Outlets
Matte Black



CPP2VUSBBS
A + C USB Outlets
Matte Black

PDS20260311 - ART